



(Original Show Steer Ration)

# SCHULTE SHOW CATTLE Ration

## MEDICATED

FOR CATTLE BEING FED IN CONFINEMENT  
FOR IMPROVED FEED EFFICIENCY

### ACTIVE DRUG INGREDIENT

MONENSIN ..... 20g/ton

## Guaranteed Analysis

|  |             |
|--|-------------|
| CRUDE PROTEIN (MIN) .....  | 11%         |
| (This product not more than 3% equivalent crude protein from non-protein nitrogen) |             |
| CRUDE FAT (min) .....  | 2.5%        |
| CRUDE FIBER (max) .....  | 14%         |
| Vitamin A (min) .....  | 3200 IU/LB. |
| CALCIUM (max) .....  | 0.5%        |
| CALCIUM (min) .....  | 0.3%        |
| SALT (min) .....   | 1.0%        |
| SALT (max) .....   | 0.75%       |

**Ingredients:** Grain Products, Grain Bi-products, Roughage Products, Plant Protein Products, CANE MOLASSES, CONDENSED FERMENTED CORN EXTRACTIVES, EXTRACTED GLUTAMIC ACID FERMENTATION PRODUCT CONDENSED, VEGETABLE OIL, LECITHIN, UREA, SULFURIC ACID, COBALT SULFATE, COPPER SULFATE, MANGANESE SULFATE, ZINC SULFATE, ETHYLENEDIAMINE DIHYDRIODIDE, SODIUM SELENITE, VITAMIN A SUPPLEMENT, VITAMIN D3 SUPPLEMENT, VITAMIN E SUPPLEMENT.

**Directions:** This feed contains 10 mg/lb. of Monensin. Feed to provide 50-480 mg/hd/day. Provide at least 1-3 % of animals body weight depending on desired gain wanted and body condition of the animal being fed. Provide plenty of fresh drinking water. Good quality forage can be fed at a desired rate by feeder.

**Caution:** Do not allow horses or equines access to formulations containing Monensin. Ingestion of Monensin by equines has been fatal. (Complete Feeds) Monensin medicated cattle feed is safe for use in beef cattle feed only. Do not feed to lactating dairy cows. Consumption by unapproved species may result in toxic reactions. Do Not exceed the levels of Monensin recommended in the feeding directions, as reduced average daily gains may result.

**GUARANTEED BY:**  
SCHULTE CATTLE COMPANY  
Brenham, Texas 77833

**50 LBS. (22.68 kg)**